TECHNICAL DATA SHEET · ANTIBACTERIALS

WELDOXY100 SP – Doxycycline Hyclate 10% Soluble Powder

Tetracycline antibiotic soluble powder for drinking water, containing 100 mg doxycycline per gram (10%).

Pigs | Chickens | In drinking water | 1 kg foil bag



TARGET ANIMALS

- Pigs
- Chickens

WITHDRAWAL PERIOD

Pigs, chickens	28 days

INDICATIONS

- **Pigs and chickens:** treatment of colibacillosis, salmonellosis and pasteurellosis caused by Gram-positive and Gram-negative bacteria, and respiratory disease caused by mycoplasma.

Mode of action: Doxycycline binds the bacterial 30S ribosomal subunit and inhibits protein synthesis. Cross-resistance exists with oxytetracycline.

DOSAGE & ADMINISTRATION

Animal	WELDOXY100 SP in drinking water	Doxycycline	Duration
Pigs	0.25–0.5 g per litre	25–50 mg per litre	3–5 days
Chickens	3 g per litre	300 mg per litre	3–5 days

Administration: dissolved in drinking water. Dose expressed as the product.

ADVERSE REACTIONS

- Long-term use may cause superinfection and liver damage.

PRECAUTIONS

- Do not use in laying hens during the laying period.
- Avoid giving at the same time as feed with a high calcium content.

Please use all products in accordance with local laws and regulations.

Need a quotation, COA or samples of WELDOXY100 SP?

Full product details on wellsunpharma.com · email anthony@wlsunshine.com

Request a Quote

This technical data sheet is for professional reference only. Specifications may be updated without notice; the COA supplied with each batch is the binding quality document. TDS-WELDOXY100-SP · Rev. 1 · Issued November 2026.