TECHNICAL DATA SHEET · ANTIBACTERIALS

WELENFLOX100 SP – Enrofloxacin 10% Soluble Powder

Fluoroquinolone antibacterial soluble powder for drinking water, containing 100 mg enrofloxacin per gram (10%).

Chickens | Racing pigeons | In drinking water | 1 kg foil bag



TARGET ANIMALS

- Chickens
- Racing pigeons

WITHDRAWAL PERIOD

Chickens	8 days

INDICATIONS

- **Chickens and racing pigeons:** bacterial diseases and mycoplasma infections.

DOSAGE & ADMINISTRATION

Animal	WELENFLOX100 SP in drinking water	Duration
Chickens	0.25–0.75 g per litre, twice daily	3–5 days
Racing pigeons	2.5 g per litre	3–5 days

Administration: dissolved in drinking water. Dose expressed as the product.

ADVERSE REACTIONS

- May cause cartilage degeneration in young animals, leading to lameness and pain.
- Digestive reactions such as vomiting, abdominal pain and bloating; skin reactions such as erythema, itching, urticaria and photosensitivity.

PRECAUTIONS

- Do not use in laying hens producing eggs for human consumption during the laying period.
- Do not use in silky (black-bone) chickens.
- Ca^{2+}, Mg^{2+}, Fe^{3+} and Al^{3+} ions chelate enrofloxacin and reduce absorption.
- Inhibits theophylline and caffeine metabolism and liver enzymes; synergistic with aminoglycosides and broad-spectrum penicillins.

Please use all products in accordance with local laws and regulations.

Need a quotation, COA or samples of WELENFLOX100 SP?

Full product details on wellsunpharma.com · email anthony@wlsunshine.com

Request a Quote

This technical data sheet is for professional reference only. Specifications may be updated without notice; the COA supplied with each batch is the binding quality document. TDS-WELENFLOX100-SP · Rev. 1 · Issued November 2026.