TECHNICAL DATA SHEET · ANTIBACTERIALS

WELKITA100 – Kitasamycin 10% Premix

Macrolide antibiotic premix for in-feed use, containing 100 mg kitasamycin per gram (10%, 10,000,000 units per 100 g).

Pigs | Chickens | Mixed in feed | 25 kg/bag



TARGET ANIMALS

- Pigs
- Chickens

WITHDRAWAL PERIOD

Pigs	7 days
Chickens	7 days

INDICATIONS

- **Pigs and chickens:** treatment of infections caused by Gram-positive bacteria, mycoplasma and leptospira.

DOSAGE & ADMINISTRATION

Animal	WELKITA100 per 1,000 kg feed	Duration
Pigs	800–3,000 g (80–300 million units)	5–7 days
Chickens	1,000–3,000 g (100–300 million units)	5–7 days

Administration: mixed in feed. Dose expressed as the product.

ADVERSE REACTIONS

- Dose-dependent gastrointestinal disturbances (vomiting, diarrhoea, intestinal pain) may occur after oral use, less often than with erythromycin.

PRECAUTIONS

- Do not use in laying hens producing eggs for human consumption during the laying period.
- Do not use with other macrolides, lincosamides or chloramphenicol (same target); antagonistic with β-lactams.

Please use all products in accordance with local laws and regulations.

Need a quotation, COA or samples of WELKITA100?
Full product details on wellsunpharma.com · email anthony@wlsunshine.com

Request a Quote

This technical data sheet is for professional reference only. Specifications may be updated without notice; the COA supplied with each batch is the binding quality document. TDS-WELKITA100 · Rev. 1 · Issued November 2026.