TECHNICAL DATA SHEET · ANTICOCCIDIALS

WELSALINO240 – Salinomycin Sodium 24% Premix

Polyether ionophore anticoccidial premix for in-feed use, containing 240 mg salinomycin per gram (24%).

Chickens | Mixed in feed | 25 kg/bag



TARGET ANIMALS

- Chickens

WITHDRAWAL PERIOD

Chickens	5 days

INDICATIONS

- **Chickens:** prevention of coccidiosis.

Mode of action: Salinomycin is a monovalent polyether ionophore that disrupts sodium and potassium transport across the coccidial cell membrane.

DOSAGE & ADMINISTRATION

Animal	Salinomycin per 1,000 kg feed	WELSALINO240 per 1,000 kg feed
Chickens	60 g	250 g

Administration: mixed in feed. Dosage expressed as salinomycin; product amount calculated for WELSALINO240 (240 mg/g).

PRECAUTIONS

- Do not use together with tiamulin, oleandomycin or other anticoccidials.
- Highly toxic to adult turkeys and horses; do not use in these species.
- Narrow safety margin: strictly control the concentration in feed.
- Do not use in laying hens during the laying period.

Please use all products in accordance with local laws and regulations.

Need a quotation, COA or samples of WELSALINO240?
Full product details on wellsunpharma.com · email anthony@wlsunshine.com

Request a Quote

This technical data sheet is for professional reference only. Specifications may be updated without notice; the COA supplied with each batch is the binding quality document. TDS-WELSALINO240 · Rev. 1 · Issued November 2026.