TECHNICAL DATA SHEET · ANTIBACTERIALS

WELTILMI100 SP – Tilmicosin 10% Soluble Powder

Macrolide antibiotic soluble powder for drinking water, containing tilmicosin phosphate equal to 100 mg tilmicosin per gram (10%).

Chickens | In drinking water | 1 kg foil bag



TARGET ANIMALS

- Chickens

WITHDRAWAL PERIOD

Chickens	15 days

INDICATIONS

- **Chickens:** respiratory disease caused by mycoplasma infection.

DOSAGE & ADMINISTRATION

Animal	Tilmicosin in drinking water	WELTILMI100 SP	Duration
Chickens	75 mg per litre, once daily	0.75 g per litre	3 days

Administration: dissolved in drinking water. Dosage expressed as tilmicosin; product amount calculated for 10%.

ADVERSE REACTIONS

- Toxic effects mainly involve the cardiovascular system and may cause tachycardia and reduced myocardial contractility.

PRECAUTIONS

- For treatment only.
- Do not use in laying hens during the laying period.
- Do not use together with other macrolides or lincosamides (same target).

Please use all products in accordance with local laws and regulations.

Need a quotation, COA or samples of WELTILMI100 SP?
Full product details on wellsunpharma.com · email anthony@wlsunshine.com

Request a Quote

This technical data sheet is for professional reference only. Specifications may be updated without notice; the COA supplied with each batch is the binding quality document. TDS-WELTILMI100-SP · Rev. 1 · Issued November 2026.