TECHNICAL DATA SHEET · ANTIBACTERIALS

WELTILMI200 – Tilmicosin 20% Premix

Macrolide antibiotic premix for in-feed use, containing 200 mg tilmicosin per gram (20%).

Pigs | Mixed in feed | 25 kg/bag



TARGET ANIMALS

- Pigs

WITHDRAWAL PERIOD

Pigs	14 days

INDICATIONS

- **Pigs:** treatment of infections caused by *Actinobacillus pleuropneumoniae*, *Pasteurella* and mycoplasma.

DOSAGE & ADMINISTRATION

Animal	WELTILMI200 per 1,000 kg feed	Duration
Pigs	1,000–2,000 g	15 days

Administration: mixed in feed. Dose expressed as the product.

ADVERSE REACTIONS

- Toxic effects mainly involve the cardiovascular system (tachycardia, reduced contractility).
- Dose-dependent gastrointestinal disturbances such as vomiting, diarrhoea and abdominal pain are common after oral use.

PRECAUTIONS

- Tilmicosin is irritating to the eyes and may cause allergic reactions; avoid direct contact.
- Use with adrenaline (epinephrine) may increase mortality in pigs.
- Do not use with other macrolides or lincosamides; antagonistic with β-lactams.

Please use all products in accordance with local laws and regulations.

Need a quotation, COA or samples of WELTILMI200?
Full product details on wellsunpharma.com · email anthony@wlsunshine.com

Request a Quote

This technical data sheet is for professional reference only. Specifications may be updated without notice; the COA supplied with each batch is the binding quality document. TDS-WELTILMI200 · Rev. 1 · Issued November 2026.